

Pressure-sensitive adhesives

Rubber

Paper

# 60# ULTRA WHITE SemiGloss / TL250 @ 2.5 Cwt. / 50#SCK L-2

ITEM #79431

#### **Facestock**

A premium coated one side stock with outstanding ink receptivity and print characteristics. It also offers good flexibility and high internal strength for ease in converting. This face offers a 90% Brightness and an 88% opacity.

### Type

Paper

**Opacity** 

Tensile MD
35 Lbs/in
19 Lbs/in

Tear MD
47 Grams
46 Grams

Properties	Value
Caliper	3.20 Mil

# **Regulatory Approval**

Yes	Prop65 Yes	<b>REACH</b> Yes
TPCH	CPSIA	<b>FSC</b>
Yes	Yes	No

88

#### **Adhesive**

An outstanding general purpose permanent adhesive which has high initial tack and high ultimate adhesion. It is used for tire label and many other difficult to label substrates.

<b>Composition</b> Rubber	<b>Type</b> Permanent
Typical Adhesion values Properties	Value
Glass	6.0

<sup>\*</sup>Please contact your sales representative for details

# **Regulatory Approval**

RoHS Prop65 REACH
Yes Yes Yes

TPCHCPSIAULYesYesNo

Direct Food FDA 21 CFR 175.105, BfR XIV

No Yes No

#### Liner

Supercalendered Kraft (SCK) liner which has been silicone coated one side to give a controlled release. This paper has a smooth, caliper consistent surface. Due to its high internal strength it will withstand all conventional processing operations including die-cutting, butt cutting, line scoring and dispensing.

#### **Type**

5517543

Caliper

Tensile MDTensile CD40 Lbs/In24 Lbs/In

**Tear MD**44 Grams
48 Grams

Description	Value
Basis Weight	50 Lbs/Rm

# **Regulatory Approval**

RoHS	Prop65	REACH
Yes	Yes	Yes
ТРСН	CPSIA	UL
Yes	Yes	No

3.2 Mil

#### **Direct Food**

No

Last update: 05/01/2024

WARRANTY: All data obtained through ASTM standards and are typical and should not be used for specification purposes. Because of the variety of possible uses, the buyer should test the suitability of each intended use. The buyer assumes all risks in connection with such use. BEONTAG will not be liable for damages in excess of the purchase price of Products or for incidental or consequential damages.

BEONTAG warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year after the initial date of shipment (unless otherwise stated), BEONTAG shall, upon notification thereof and substantiation that the products have been stored and applied in accordance with BEONTAG'S standards, correct such defects by suitable repair or replacement without charge at BEONTAG's plant or at the location of the products (at BEONTAG's election); provided, however, if BEONTAG determines that repair or replacement is not commercially practical, BEONTAG shall issue a credit in favor of BUYER in an amount not to exceed the purchase price of the products

## ADDRESS:

Beontag

222 Mound Avenue Miamisburg, OH 45342

<sup>\*</sup>Please contact your sales representative for details

<sup>\*</sup>Please contact your sales representative for details

800-358-4448 orders.us@beontag.com