

Pressure-sensitive adhesives

Rubber

Film

7 PT C2S LUMBERTUFF / TL250 @ 2.5 Cwt. / 50#SCK L-3

ITEM #80116

Facestock

Coated two side Lumbertuff(R) that has a clay coating on both sides for printability, including thermal transfer. Extremely versatile for applications that need strength and good print results.

Type

Film

Tensile MD
28 Lbs/in
30 Lbs/in

Tear MD
7 Grams
6 Grams

Properties Value

Caliper 7.00 Mil

Opacity 72

Regulatory Approval

RoHSProp65REACHYesYesYes
TPCH
CPSIA
FSC
Yes
No

*Please contact your sales representative for details

Adhesive

An outstanding general purpose permanent adhesive which has high initial tack and high ultimate adhesion. It is used for tire label and many other difficult to label substrates.

CompositionTypeRubberPermanent

Typical Adhesion values

Properties	Value
Glass	6.0
Polyethylene	7.0

Regulatory Approval

RoHS Prop65 REACH
Yes Yes Yes

TPCHCPSIAULYesYesNo

Direct Food FDA 21 CFR 175.105, BfR XIV

No Yes No

Liner

Supercalendered Kraft (SCK) liner which has been silicone coated one side to give a controlled release. This paper has a smooth, caliper consistent surface. Due to its high internal strength it will withstand all conventional processing operations including die-cutting, butt cutting, line scoring and dispensing.

Туре

5517353

Caliper

Tensile MDTensile CD40 Lbs/In24 Lbs/In

Tear MD44 Grams

Tensile CD
48 Grams

Description	Value
Basis Weight	50 Lbs/Rm

Regulatory Approval

RoHS	Prop65	REACH
Yes	Yes	Yes
TPCH	CPSIA	UL
Yes	Yes	No

3.2 Mil

Direct Food

No

Last update: 05/01/2024

WARRANTY: All data obtained through ASTM standards and are typical and should not be used for specification purposes. Because of the variety of possible uses, the buyer should test the suitability of each intended use. The buyer assumes all risks in connection with such use. BEONTAG will not be liable for damages in excess of the purchase price of Products or for incidental or consequential damages.

BEONTAG warrants the products to be free from defects in material and workmanship. Should any failure to conform to this warranty appear within one year after the initial date of shipment (unless otherwise stated), BEONTAG shall, upon notification thereof and substantiation that the products have been stored and applied in accordance with BEONTAG'S standards, correct such defects by suitable repair or replacement without charge at BEONTAG's plant or at the location of the products (at BEONTAG's election); provided, however, if BEONTAG determines that repair or replacement is not commercially practical, BEONTAG shall issue a credit in favor of BUYER in an amount not to exceed the purchase price of the products

ADDRESS:

Beontag

222 Mound Avenue Miamisburg, OH 45342

^{*}Please contact your sales representative for details

^{*}Please contact your sales representative for details

800-358-4448 orders.us@beontag.com